



Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/14/1956
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Coccidioides Antigen Quantitative by EIA

ARUP test code 2011075

Coccidioides Antigen - Source Urine

Coccidioides Antigen by EIA

0.20 ng/mL *

Reference Interval: None Detected
Reportable Range: Results reported as ng/mL in 0.07 - 8.2 ng/mL range. Results above 8.2 ng/mL are reported as 'Positive, Above the Limit of Quantification'
This test was developed and its performance characteristics determined by Miravista Diagnostics. It has not been cleared or approved by the FDA; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.
This document contains confidential privileged information. The recipient of the information is prohibited from disclosing the contents to another party without authorization. If you are not the intended recipient, you are hereby notified that the disclosure of the contents is strictly prohibited. Please notify Miravista Diagnostics immediately if you received this information in error.
Laboratory Director: Deborah E. Blue, MD, MT(ASCP)
4705 Decatur Blvd., Indianapolis, IN 46241 1-866-647-2847
ALQ = Above the limit of Quantification
Performed At: Miravista Diagnostics
4705 Decatur Blvd.
Indianapolis, IN 46241
Medical Director: Deborah Blue
CLIA Number: 15D0996282

H=High, L=Low, *=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Coccidioides Antigen - Source	23-178-114090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coccidioides Antigen by EIA	23-178-114090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical