

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/19/1995
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Coccidioides Antigen Quantitative by EIA

ARUP test code 2011075

Coccidioides Antigen - Source

Serum

Performed By: Mira Vista Diagnostics
4705 Decatur Blvd
Indianapolis, IN 46241

Coccidioides Antigen by EIA

See Note

Test	Result	Unit	Interpretation
MVista Coccidioides Ag Quantitative EIA			
Coccidioides Antigen EIA	0.25	ng/mL	POSITIVE

Test Parameters:

Reference interval: None Detected

Reportable Range: Results reported as ng/mL in 0.07-8.2 ng/mL range

Results above 8.2 ng/mL are reported as 'Positive, Above the Limit of Quantification'

This test was developed and its performance characteristics determined by MiraVista Diagnostics. It has not been cleared or approved by the FDA; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

Performed By: Mira Vista Diagnostics
4705 Decatur Blvd
Indianapolis, IN 46241

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Coccidioides Antigen - Source	21-025-116264	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coccidioides Antigen by EIA	21-025-116264	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-025-116264
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 2/1/2021 3:38:07 PM
4848