

INTERPRETIVE INFORMATION: Chlamydia trachomatis Confirm by TMA

This test is intended for medical purposes only. It is not intended for the evaluation of suspected sexual abuse or for other medicolegal indications. Refer to the most recent CDC recommendations for patients in whom a false positive result may have adverse psychosocial impact.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
APTIMA Media Type	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
APTIMA Media Type	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Specimen Source	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Specimen Source	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
C. trachomatis by TMA with Confirm	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
N. gonorrhoeae by TMA with Confirm	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Chlamydia trachomatis Confirm by TMA	21-028-121782	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-028-121782
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 2/22/2021 12:47:32 PM
4848