

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: Unknown
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Duchenne/Becker Muscular Dystrophy (DMD) Deletion/Duplication with Reflex to Sequencing
ARUP test code 2011241

Duchenne/Becker MD (DMD) Reflex Specimen **See Note** *

Duchenne/Becker MD (DMD) DelDup MLPA Negative

Duchenne/Becker MD (DMD) Reflex Interp See Note

INDICATION FOR TESTING
Not provided.

RESULT
No pathogenic variants were detected in the DMD gene.

INTERPRETATION
No pathogenic variants were detected in the DMD gene by deletion/duplication analysis and massively parallel sequencing of the coding regions and exon-intron boundaries. This result decreases the likelihood of, but does not exclude, a diagnosis of Duchenne/Becker muscular dystrophy. Please refer to the background information included in this report for the clinical sensitivity and limitations of this test.

RECOMMENDATIONS
Medical screening and management should rely on clinical findings and family history. Genetic consultation is recommended.

COMMENTS
Reference sequence: GenBank # NM_004006.2 (DMD)
Likely benign and benign variants are not included in this report.

This result has been reviewed and approved by [REDACTED]

H=High, L=Low, *=Abnormal, C=Critical

BACKGROUND INFORMATION: Duchenne/Becker Muscular Dystrophy (DMD) Deletion/Duplication with Reflex to Sequencing

CHARACTERISTICS: Symptoms of Duchenne muscular dystrophy (DMD) usually begin in childhood and include fatigue, learning difficulties, muscle weakness, progressive difficulty walking with eventual wheelchair dependency, breathing difficulties and heart disease. Symptoms of Becker muscular dystrophy (BMD) are similar to DMD but begin at a later age and progress at a slower rate. Dilated cardiomyopathy has been observed in nearly all affected males and many female carriers of DMD and BMD.

EPIDEMIOLOGY: Incidence of DMD is 1 in 3,500 male births; Incidence of BMD is 1 in 19,000 male births.

INHERITANCE: X-linked; de novo variants occur in one-third of cases.

PENETRANCE: Males: 100 percent Females: Varies with X-chromosome inactivation

CLINICAL SENSITIVITY: Approximately 95 percent.

METHODOLOGY: Multiplex ligation-dependent probe amplification (MLPA) of the DMD gene. If results were negative or inconclusive, testing was reflexed to targeted capture of all coding exons and exon-intron junctions of the DMD gene, followed by massively parallel sequencing. Sanger sequencing was performed as necessary to fill in regions of low coverage and confirm reported variants. Human genome build 19 (Hg 19) was used for data analysis.

ANALYTICAL SENSITIVITY: The analytical sensitivity for MLPA is greater than 99 percent. The analytical sensitivity for sequencing is approximately 99 percent for single nucleotide variants (SNVs) and greater than 93 percent for insertions/duplications/deletions from 1-10 base pairs in size. Variants greater than 10 base pairs may be detected by sequencing, but the analytical sensitivity may be reduced.

LIMITATIONS: A negative result does not exclude a heritable form of muscular dystrophy. This test only detects variants within the coding regions and intron-exon boundaries of the DMD gene. Regulatory region variants and deep intronic variants will not be identified and breakpoints of large deletions/duplications will not be determined. Diagnostic errors can occur due to rare sequence variations. In some cases, variants may not be identified due to technical limitations in the presence of pseudogenes, repetitive, or homologous regions. This assay may not detect low-level somatic variants associated with disease. Interpretation of this test result may be impacted if this patient has had an allogeneic stem cell transplantation. Non-coding transcripts were not analyzed.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement C: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Duchenne/Becker MD (DMD) Reflex Specimen	21-029-105048	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Duchenne/Becker MD (DMD) DelDup MLPA	21-029-105048	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Duchenne/Becker MD (DMD) Reflex Interp	21-029-105048	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-029-105048
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 2/2/2021 12:42:39 PM
4848