

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/10/1996
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Lead, RBC

ARUP test code 2011413

Lead, RBC

1.6 mcg/dL

RBCs
Reporting Limit: 0.55 mcg/dL

NMS Labs derived data:
10th - 90th Percentile Data:
Mean, 3.1 mcg/dL +/- 1.3 (SD); range, 1.1-6.9 mcg/dL
(N = 26).

The RBC sample used for analysis was measured by weight and multiplied by the density of human RBC (1.10 g/mL)

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Lead, RBC	22-034-104327	2/3/2022 10:39:00 AM	2/4/2022 9:24:51 AM	2/11/2022 12:11:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-034-104327
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/19/2022 7:35:12 AM