

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB8/30/1966

Gender:Male

Patient Identifiers:01234567890ABCD, 012345

Visit Number (FIN):01234567890ABCD

Collection Date:00/00/0000 00:00

Carbapenem-Resistant Organism Culture

ARUP test code 2011418

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: Rectal

Body Site: Rectal

Free Text Sources: Stool Swab

Final Report

Culture negative for carbapenem-resistant organisms by screening culture

Interpretive Results
This test is not intended for screening donor material.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Carbapenem-Resistant Organism Culture	22-294-100110	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate,
SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical