

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 3/7/1999 **Gender:** Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Carbapenem-Resistant Organism Culture

ARUP test code 2011418

Collected: 00/00/0000 00:00 MT Started: 00/00/0000 00:00 MT

Source: Rectal
Body Site: Rectal

Free Text Sources: Rectal

Final Report

Culture POSITIVE for carbapenem-resistant organisms by screening culture Enterobacter cloacae complex
Contact ARUP if additional testing is required
(801) 583-2787 Ext. 2169
Organism(s) saved for one week.
Identification by MALDI-TOF
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration.
This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Interpretive Results

This test is not intended for screening donor material.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Carbapenem-Resistant Organism Culture	22-289-105894	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Patient: Patient, Example
ARUP Accession: 22-289-105894
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 10/27/2022 10:20:38 AM

4848