

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1989
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Copper, Random Urine

ARUP test code 2011480

Creatinine, Urine - per volume 80 mg/dL

Copper, Urine - per volume **3.8 ug/dL H (Ref Interval: <=3.2)**

INTERPRETIVE INFORMATION: Copper, Urine

Individuals with symptomatic wilson disease usually excrete more than 100 ug copper per day. Other conditions associated with elevated urine copper include cholestatic liver disease, proteinuria, some medications, and contaminated specimens.

Although random specimens may contain diagnostic information, a 24-hour collection is a more consistent indicator of urine copper.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Copper, Urine - ratio to CRT **47.5 ug/g CRT H (Ref Interval: 10.0-45.0)**

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Creatinine, Urine - per volume	21-047-103623	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Copper, Urine - per volume	21-047-103623	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Copper, Urine - ratio to CRT	21-047-103623	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-047-103623
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 2/17/2021 12:06:19 PM
4848