

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 4/25/1964  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Desipramine, Serum or Plasma by Tandem Mass Spectrometry**

ARUP test code 2011487

Desipramine Serum or Plasma

**302 ng/mL H (Ref Interval: 100-300)**

INTERPRETIVE INFORMATION: Desipramine

Therapeutic Range:  
100-300 ng/mL

Toxic: Greater than 500 ng/mL

The therapeutic range is based on serum pre-dose (trough) draw at steady-state concentration. Toxic concentrations may cause anticholinergic effects, drowsiness and cardiac abnormalities.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Desipramine Serum or Plasma	23-261-139103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**