

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/25/1991
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Desipramine, Serum or Plasma by Tandem Mass Spectrometry

ARUP test code 2011487

Desipramine Serum or Plasma

168 ng/mL (Ref Interval: 100-300)

INTERPRETIVE INFORMATION: Desipramine

Therapeutic Range:
100-300 ng/mL

Toxic: Greater than 500 ng/mL

The therapeutic range is based on serum pre-dose (trough) draw at steady-state concentration. Toxic concentrations may cause anticholinergic effects, drowsiness and cardiac abnormalities.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|-----------------------------|---------------|------------------|------------------|-------------------|
| Desipramine Serum or Plasma | 23-272-130461 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: