

Client: Example Client ABC123
 123 Test Drive
 Salt Lake City, UT 84108
 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/16/1977
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis E Virus by Quantitative PCR

ARUP test code 2011654

Hepatitis E Quant by PCR, Source	Serum
Hepatitis E Quant by PCR, IU/mL	Not Quantified IU/mL
Hepatitis E Quant by PCR, Log IU/mL	Not Quantified log IU/mL Not Quantified - Hepatitis E Virus RNA was detected, but at a level below 3.3 log IU/mL (1,800 IU/mL). Virus detected at a level below 3.3 log IU/mL cannot be accurately quantified by this assay.
Hepatitis E Quant by PCR, Interp	Detected * (Ref Interval: Not Detected) INTERPRETIVE INFORMATION: Hepatitis E Virus by Quantitative PCR The quantitative range of this assay is 3.3- 8.3 log IU/mL (1,800- 180,000,000 IU/mL). One IU/mL of HEV RNA is approximately 2.25 copies/mL. A negative result (less than 3.3 log IU/mL or less than 1,800 IU/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HEV RNA concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation. Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis E Quant by PCR, Source	18-345-135162	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis E Quant by PCR, IU/mL	18-345-135162	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis E Quant by PCR, Log IU/mL	18-345-135162	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis E Quant by PCR, Interp	18-345-135162	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical