

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/9/2003
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Triiodothyronine (T3), Free by Equilibrium Dialysis/LC-MS/MS

ARUP test code 2011793

Free Triiodothyronine, Dialysis/LC-MS/MS

26 pg/mL

Verified by repeat analysis. This test was developed and its performance characteristics determined by Labcorp. It has not been cleared or approved by the Food and Drug Administration.

Reference Range:

	Range	Mean
Children >10y and Adults:	1.81 - 4.06	2.77
Pregnant Females:		
First Trimester	1.6 - 3.3	2.5
Second Trimester	To be determined	
Third Trimester	1.0 - 3.2	2.1

Performed by: 01 Esoterix Inc
4301 Lost Hills Road
Calabasas Hills, CA 91301-5358
800-444-9111
Poirier, Brian F MD

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Free Triiodothyronine, Dialysis/LC-MS/MS	23-160-135916	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: