

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/19/1949
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Chikungunya Antibody, IgG

ARUP test code 2011808

Chikungunya Antibody, IgG 0.12 IV (Ref Interval: <=0.79)
REFERENCE INTERVAL: Chikungunya Antibody, IgG
0.79 IV or less: Negative - No significant level of Chikungunya IgG antibody detected.
0.80-1.09 IV: Equivocal - Questionable presence of Chikungunya IgG antibody detected. Repeat testing in 10-14 days may be helpful.
1.10 IV or greater: Positive - Chikungunya IgG antibody detected; suggests current or past infection.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Chikungunya Antibody, IgG	20-175-142033	6/23/2020 11:05:00 AM	6/25/2020 11:58:43 AM	7/1/2020 12:04:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: