

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 11/1/1970  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Chikungunya Antibody, IgG**

ARUP test code 2011808

Chikungunya Antibody, IgG

**1.61 IV H (Ref Interval: <=0.79)**

REFERENCE INTERVAL: Chikungunya Antibody, IgG

0.79 IV or less: Negative - No significant level of Chikungunya IgG antibody detected.  
0.80-1.09 IV: Equivocal - Questionable presence of Chikungunya IgG antibody detected. Repeat testing in 10-14 days may be helpful.  
1.10 IV or greater: Positive - Chikungunya IgG antibody detected; suggests current or past infection.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Chikungunya Antibody, IgG	20-168-144413	6/16/2020 6:48:00 AM	6/18/2020 2:08:16 PM	6/23/2020 9:28:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-168-144413  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 12/7/2020 2:09:18 PM  
4848