

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/18/1960
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Chikungunya Antibody, IgG

ARUP test code 2011808

Chikungunya Antibody, IgG

0.18 IV (Ref Interval: <=0.79)

REFERENCE INTERVAL: Chikungunya Antibody, IgG

0.79 IV or less: Negative - No significant level of Chikungunya IgG antibody detected.
0.80-1.09 IV: Equivocal - Questionable presence of Chikungunya IgG antibody detected. Repeat testing in 10-14 days may be helpful.
1.10 IV or greater: Positive - Chikungunya IgG antibody detected; suggests current or past infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|---------------------------|---------------|------------------|------------------|-------------------|
| Chikungunya Antibody, IgG | 22-124-144780 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical