

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 6/19/1949  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Chikungunya Antibody, IgM**

ARUP test code 2011810

Chikungunya Antibody, IgM

0.13 IV (Ref Interval: <=0.79)

REFERENCE INTERVAL: Chikungunya Antibody, IgM

0.79 IV or less: Negative - No significant level of Chikungunya IgM antibody detected.  
0.80-1.09 IV: Equivocal - Questionable presence of Chikungunya IgM antibody detected. Repeat testing in 10-14 days may be helpful.  
1.10 IV or greater: Positive - Chikungunya IgM antibody detected.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Chikungunya Antibody, IgM	20-175-151178	6/23/2020 11:05:00 AM	6/26/2020 12:41:18 PM	7/1/2020 12:04:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: