

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/13/1960
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Chikungunya Antibody, IgM

ARUP test code 2011810

Chikungunya Antibody, IgM

2.34 IV H (Ref Interval: <=0.79)

REFERENCE INTERVAL: Chikungunya Antibody, IgM

0.79 IV or less: Negative - No significant level of Chikungunya IgM antibody detected.
0.80-1.09 IV: Equivocal - Questionable presence of Chikungunya IgM antibody detected. Repeat testing in 10-14 days may be helpful.
1.10 IV or greater: Positive - Chikungunya IgM antibody detected.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Chikungunya Antibody, IgM	20-160-139092	6/8/2020 2:59:00 PM	6/10/2020 4:25:37 AM	6/10/2020 11:36:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: