Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	6/30/1983
Sex:	Female
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Hepatitis E Virus (HEV) Antibodies, IgG and IgM

ARUP test code 2012023

Hepatitis E Virus Ab, IgG	**Positive** *	(Ref Interval: Negative)

The positive anti-HEV IgG result is consistent with exposure to hepatitis E virus.

INTERPRETIVE INFORMATION: Hepatitis E Virus Ab, IgG by ELISA

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Hepatitis E Virus Ab, IgM	**Equivocal** *	(Ref Interval: Negative)

The anti-HEV IgM result is borderline and is therefore inconclusive. Retesting at two week intervals may assist in determining the seroconversion status.

INTERPRETIVE INFORMATION: Hepatitis E Virus Ab, IgM by ELISA

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Hepatitis E Virus Abs, IgG/IgM Interp	See Note

The anti-HEV IgM result is borderline and therefore inconclusive. Retesting at two week intervals may assist in determining the seroconversion status. The pattern of positive IgG anti-HEV and equivocal IgM anti-HEV is consistent with exposure to hepatitis E virus.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis E Virus Ab, IgG	25-294-163288	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis E Virus Ab, IgM	25-294-163288	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

H=High, L=Low, *=Abnormal, C=Critical

Hepatitis E Virus Abs, IgG/IgM Interp	25-294-163288	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical