

Client: Example Client ABC123
123 Test Drive

Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 8/12/1979 **Gender:** Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Amphetamines Urine Screen with Reflex to Quantitation

ARUP test code 2012209

Amphetamines, Urn, Screen

PresumptivePOS ng/mL

(Ref Interval: Cutoff 300)

If the screen is PresumptivePos, then confirmation testing by mass spectrometry will be added. Additional charges will apply.

Screen, Urine Interpretation

See Note

INTERPRETIVE INFORMATION:

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies. Specimens for which drugs or drug classes are detected by the screen are reflexed to a second, more specific technology (GC/MS and/or LC-MS/MS). The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

For medical purposes only; not valid for forensic use.

Amphetamines, Urine, Quantitative

ARUP test code 2010075

Amphetamine, Urn, Quant

1390 ng/mL

Consistent with use of a drug containing amphetamine. May also reflect metabolism of methamphetamine, when methamphetamine is present. Amphetamine and methamphetamine exist in d- and l-isomeric forms. These forms are not distinguished by this test. Isomeric separation is available separately for an additional charge.

H=High, L=Low, *=Abnormal, C=Critical

4848



	INTERPRETIVE INFORMATION: Amphetamines, Urine, Quantitative			
	Methodology: Quantitative Liquid Chromatography-Tandem Mass Spectrometry Positive cutoff: 200 ng/mL unless specified below: Amphetamine 50 ng/mL			
	For medical purposes only; not valid for forensic use.			
	The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.			
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.			
MDA, Urn, Quant	<200 ng/mL			
MDEA, Urn, Quant	<200 ng/mL			
MDMA, Urn, Quant	<200 ng/mL			
Methamphetamine, Urn, Quant	<200 ng/mL			
Phentermine, Urn, Quant	<200 ng/mL			

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
Amphetamines, Urn, Screen	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Screen, Urine Interpretation	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Amphetamine, Urn, Quant	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
MDA, Urn, Quant	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
MDEA, Urn, Quant	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
MDMA, Urn, Quant	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Methamphetamine, Urn, Quant	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Phentermine, Urn, Quant	23-333-154960	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical