

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/27/1986
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Meperidine, Urine Screen with Reflex to Quantitation

ARUP test code 2012288

Meperidine, Urn, Screen Negative ng/mL (Ref Interval: Cutoff 200)

Screen, Urine Interpretation

See Note

INTERPRETIVE INFORMATION:

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies. Specimens for which drugs or drug classes are detected by the screen are reflexed to a second, more specific technology (GC/MS and/or LC-MS/MS). The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

For medical purposes only; not valid for forensic use.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Meperidine, Urn, Screen	23-332-117897	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Screen, Urine Interpretation	23-332-117897	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: