

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/23/1986
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Meperidine, Urine Screen with Reflex to Quantitation

ARUP test code 2012288

Meperidine, Urn, Screen Positive ng/mL (Ref Interval: Cutoff 200)

If the screen is positive, then confirmation testing by mass spectrometry will be added. Additional charges will apply.

Screen, Urine Interpretation

See Note

INTERPRETIVE INFORMATION:

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies. Specimens for which drugs or drug classes are detected by the screen are reflexed to a second, more specific technology (GC/MS and/or LC-MS/MS). The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

For medical purposes only; not valid for forensic use.

Meperidine and Metabolite Quantitative, Urine

ARUP test code 3000248

Meperidine - Urine 0.31 mcg/mL
Urine
Reporting Limit: 0.040 mcg/mL
Synonym(s): Demerol(R)
No reference data available.
Analysis by Gas Chromatography (GC) and Gas Chromatography/Mass Spectrometry (GC/MS)

Normeperidine - Urine 8.5 mcg/mL

H=High, L=Low, *=Abnormal, C=Critical

Urine
 Reporting Limit: 0.40 mcg/mL
 Synonym(s): Meperidine Metabolite
 No reference data available.
 Analysis by Gas Chromatography (GC) and Gas Chromatography/Mass Spectrometry (GC/MS)
 This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
 Testing performed at NMS Labs, Inc.
 200 Welsh Road
 Horsham, PA 19044-2208
 CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Meperidine, Urn, Screen	21-011-400157	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Screen, Urine Interpretation	21-011-400157	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Meperidine - Urine	21-011-400157	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Normeperidine - Urine	21-011-400157	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: