

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/11/1970
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Pain Management Panel, Screen with Reflex to Quantitation

ARUP test code 2012312

Amphetamines, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 300)
Barbiturates, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
Benzodiazepines, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
Buprenorphine, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 5)
Carisoprodol, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 100)
Cocaine, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 150)
Creatinine, Urine	82.2 mg/dL	(Ref Interval: 20.0-400.0)
Ethyl Glucuronide Screen w/Rflx, Urine	Negative ng/mL	(Ref Interval: Cutoff 500)
<p>INTERPRETIVE INFORMATION: Ethyl Glucuronide Screen with Reflex to Confirmation, Urine</p> <p>Ethyl glucuronide is a direct metabolite of ethanol and can be detected up to 80 hours in urine after ethanol ingestion. The cutoff for positive by immunoassay is set at 500 ng/mL. A positive result will be confirmed by liquid chromatography tandem mass spectrometry (LC-MS/MS).</p> <p>Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS</p>		
Fentanyl, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 2)

H=High, L=Low, *=Abnormal, C=Critical

Meperidine, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
Methadone, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 150)
Opiates, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 300)
Oxycodone/Oxymorphone, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 100)
Phencyclidine, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 25)
Propoxyphene, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 300)
Tapentadol, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
THC, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Tramadol, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
Zolpidem, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)

Screen, Urine Interpretation

See Note

INTERPRETIVE INFORMATION:

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies. Specimens for which drugs or drug classes are detected by the screen are reflexed to a second, more specific technology (GC/MS and/or LC-MS/MS). The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

For medical purposes only; not valid for forensic use.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Amphetamines, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Barbiturates, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Benzodiazepines, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Buprenorphine, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Carisoprodol, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cocaine, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Ethyl Glucuronide Screen w/Rflx, Urine	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Fentanyl, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Meperidine, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Methadone, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Opiates, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Oxycodone/Oxymorphone, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Phencyclidine, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Propoxyphene, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Tapentadol, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
THC, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Tramadol, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Zolpidem, Urn, Screen	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Screen, Urine Interpretation	20-253-120150	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-253-120150
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 9/16/2020 11:34:14 AM
4848