

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## **Patient: Patient, Example**

DOB	8/22/1980
Gender:	Male
<b>Patient Identifiers:</b>	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
<b>Collection Date:</b>	00/00/0000 00:00

## Human Immunodeficiency Virus (HIV) Combo Antigen/Antibody (HIV-1/O/2) by CIA, Reflexive Panel

ARUP test code 2012674

HIV 1,2 Combo Antigen/Antibody	Reactive	*	(Ref Interval: Negative)
	antigen/antibody anti-HIV-1, anti result. Further	screen, and -HIV-2, or p reflexive te	reactive on the combined I therefore, is reactive for 24 antigen. This is a preliminary esting is indicated. Refer to the Iditional detail.
	INTERPRETIVE INF	ORMATION: HI	V-1,2 Combo Ag/Ab EIA, w/Reflex
	This assay shoul associated re-en Tissues, and Cel	d not be use try protocol lular and Ti	d for blood donor screening, s, or for screening Human Cells, ssue-Based Products (HCT/P).

## Human Immunodeficiency Virus Types 1 and 2 (HIV-1/2) Antibody Differentiation, Supplemental, with Reflex to HIV-1 Quantitative NAAT, Plasma ARUP test code 2012669

HIV-1/2 Ab Differentiation Immunoassay	See Below INTERPRETIVE INFORMATION: HIV-1/2 Ab Diff, Supplemental			
	This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues, and Cellular and Tissue-Based Products (HCT/P).			
HIV-1 Antibody	Positive	*	(Ref Interval: Negative)	
HIV-2 Antibody	Negative		(Ref Interval: Negative)	
HIV Serologic Interpretation	Pos HIV-1	* dv	•	

## H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

HIV Serologic Interpretation HIV-1 positive The specimen is repeatedly reactive by the fourth generation, combination antigen/antibody screening assay, and positive for HIV-1 antibodies by the HIV-1/HIV-2 antibody differentiation assay. HIV-1 nucleic acid testing will not be performed on this specimen. If this positive result is inconsistent with additional testing (HIV RNA and CD4 count), testing a new specimen for HIV antibodies would be useful to rule out contamination and

VERIFIED/REPORTED DATES						
Procedure	Accession	Collected	Received	Verified/Reported		
HIV 1,2 Combo Antigen/Antibody	23-136-141830	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		
HIV-1/2 Ab Differentiation Immunoassay	23-136-141830	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		
HIV-1 Antibody	23-136-141830	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		
HIV-2 Antibody	23-136-141830	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		
HIV Serologic Interpretation	23-136-141830	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00		

mislabeling.

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example ARUP Accession: 23-136-141830 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 2 of 2 | Printed: 5/31/2023 8:17:33 AM 4848