

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/23/1958
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Ethyl Glucuronide Screen Only, Urine

ARUP test code 2012695

Ethyl Glucuronide, Urn, Screen

Negative ng/mL (Ref Interval: Cutoff 500)
INTERPRETIVE INFORMATION: Ethyl Glucuronide Screen Only, Urine
screening results are obtained by immunoassay. Results obtained by immunoassay are not confirmed unless confirmation testing is specifically requested. Ethyl glucuronide is a direct metabolite of ethanol and can be detected in urine up to 80 hours in urine after ethanol ingestion. This immunoassay cutoff for positive is set at 500 ng/mL.
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Ethyl Glucuronide, Urn, Screen	19-355-401596	12/20/2019 3:05:00 PM	12/22/2019 1:26:35 AM	12/22/2019 7:57:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: