

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 9/11/1974  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Human Herpesvirus 8 (HHV-8) by Quantitative PCR**

ARUP test code 2013089

HHV8 by Quantitative PCR, Source	Plasma
HHV8 by Quantitative PCR, Copy/mL	<6,670 cpy/mL
HHV8 by Quantitative PCR, Log copy/mL	<3.8 log cpy/mL
HHV8 by Quantitative PCR, Interp	<p>Not Detected (Ref Interval: Not Detected)</p> <p>INTERPRETIVE INFORMATION: Human Herpesvirus 8 by Quantitative PCR</p> <p>The quantitative range of this assay is 3.8-8.8 log copies/mL (6,670 - 667,000,000 copies/mL).</p> <p>A negative result (less than 3.8 log copies/mL or less than 6,670 copies/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HHV8 DNA concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.</p> <p>No international standard is currently available for calibration of this assay. Caution should be taken when interpreting results generated by different assay methodologies.</p> <p>See Compliance Statement B: <a href="http://www.aruplab.com/CS">www.aruplab.com/CS</a></p>

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HHV8 by Quantitative PCR, Source	19-332-400479	11/28/2019 11:30:00 AM	11/29/2019 12:49:31 PM	12/3/2019 9:59:00 AM
HHV8 by Quantitative PCR, Copy/mL	19-332-400479	11/28/2019 11:30:00 AM	11/29/2019 12:49:31 PM	12/3/2019 9:59:00 AM
HHV8 by Quantitative PCR, Log copy/mL	19-332-400479	11/28/2019 11:30:00 AM	11/29/2019 12:49:31 PM	12/3/2019 9:59:00 AM
HHV8 by Quantitative PCR, Interp	19-332-400479	11/28/2019 11:30:00 AM	11/29/2019 12:49:31 PM	12/3/2019 9:59:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 19-332-400479  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 1/7/2021 2:34:42 PM  
4848