

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/18/1963
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Human Herpesvirus 8 (HHV-8) by Quantitative PCR

ARUP test code 2013089

HHV8 by Quantitative PCR, Source	Plasma
HHV8 by Quantitative PCR, Copy/mL	<6,670 cpy/mL
HHV8 by Quantitative PCR, Log copy/mL	<3.8 log cpy/mL

HHV8 by Quantitative PCR, Interp **Not Detected** (Ref Interval: Not Detected)
INTERPRETIVE INFORMATION: Human Herpesvirus 8 by Quantitative PCR
 The quantitative range of this assay is 3.8-8.8 log copies/mL (6,670 - 667,000,000 copies/mL).
 A negative result (less than 3.8 log copies/mL or less than 6,670 copies/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HHV8 DNA concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.
 No international standard is currently available for calibration of this assay. Caution should be taken when interpreting results generated by different assay methodologies.
 This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HHV8 by Quantitative PCR, Source	23-334-401511	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV8 by Quantitative PCR, Copy/mL	23-334-401511	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV8 by Quantitative PCR, Log copy/mL	23-334-401511	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV8 by Quantitative PCR, Interp	23-334-401511	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-334-401511
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 12/8/2023 1:01:29 PM
4848