

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/1/2002
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Aquaporin-4 Antibody, IgG by CBA-IFA with Reflex to Titer, Serum

ARUP test code 2013320

NMO/AQP4 Ab IgG CBA-IFA Screen, Serum <1:10 (Ref Interval: <1:10)
Aquaporin-4 Receptor Antibody, IgG is not detected. No further testing will be performed.

INTERPRETIVE INFORMATION: NMO/AQP4 Ab IgG CBA-IFA Screen, Serum
Neuromyelitis optic (NMO) commonly presents with optic neuritis or longitudinally extensive transverse myelitis. Approximately 75 percent of patients with NMO have antibodies to the aquaporin-4 (AQP4) receptor. While the absence of AQP4 receptor antibodies does not rule out a diagnosis of NMO, presence of this antibody is diagnostic for NMO.

This indirect fluorescent antibody assay utilizes AQP4 receptor transfected cell lines for the detection and semiquantification of AQP4 IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
NMO/AQP4 Ab IgG CBA-IFA Screen, Serum	23-241-110669	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: