

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 3/28/2020  
**Sex:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Pyridoxine-Dependent Epilepsy Panel, Serum or Plasma**

ARUP test code 2013352

Pyridoxine-Dependent Epilepsy Interp      Normal

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Pipecolic Acid, Serum/Plasma      <0.5 umol/L      (Ref Interval: <=5.2)

Total AASA-P6C, Serum/Plasma      <1.0 umol/L      (Ref Interval: <=1.6)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Pyridoxine-Dependent Epilepsy Interp	20-097-400245	4/5/2020 5:45:00 PM	4/7/2020 4:53:52 PM	4/11/2020 12:11:00 PM
Pipecolic Acid, Serum/Plasma	20-097-400245	4/5/2020 5:45:00 PM	4/7/2020 4:53:52 PM	4/11/2020 12:11:00 PM
Total AASA-P6C, Serum/Plasma	20-097-400245	4/5/2020 5:45:00 PM	4/7/2020 4:53:52 PM	4/11/2020 12:11:00 PM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-097-400245  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 12/21/2022 11:04:01 AM