

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/28/2020
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Pyridoxine-Dependent Epilepsy Panel, Serum or Plasma

ARUP test code 2013352

Pyridoxine-Dependent Epilepsy Interp	Normal	
	Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS	
Pipecolic Acid, Serum/Plasma	<0.5 umol/L	(Ref Interval: <=5.2)
Total AASA-P6C, Serum/Plasma	<1.0 umol/L	(Ref Interval: <=1.6)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Pyridoxine-Dependent Epilepsy Interp	20-097-400245	4/5/2020 5:45:00 PM	4/7/2020 4:53:52 PM	4/11/2020 12:11:00 PM
Pipecolic Acid, Serum/Plasma	20-097-400245	4/5/2020 5:45:00 PM	4/7/2020 4:53:52 PM	4/11/2020 12:11:00 PM
Total AASA-P6C, Serum/Plasma	20-097-400245	4/5/2020 5:45:00 PM	4/7/2020 4:53:52 PM	4/11/2020 12:11:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-097-400245
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 1/19/2021 12:52:10 PM
4848