

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/20/2023
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Pyridoxine-Dependent Epilepsy Panel, Serum or Plasma

ARUP test code 2013352

Pyridoxine-Dependent Epilepsy Interp Normal

Results reviewed and interpreted by [REDACTED]

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Pipecolic Acid, Serum/Plasma 1.0 umol/L (Ref Interval: <=5.2)

Total AASA-P6C, Serum/Plasma <1.0 umol/L (Ref Interval: <=1.6)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Pyridoxine-Dependent Epilepsy Interp	24-149-400053	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Pipecolic Acid, Serum/Plasma	24-149-400053	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Total AASA-P6C, Serum/Plasma	24-149-400053	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: