

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1752
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hepatitis Delta Virus by Quantitative PCR

ARUP test code 2013881

HDV by Quantitative PCR, Source	Serum
HDV by Quantitative PCR, IU/mL	2,840,000 IU/mL
HDV by Quantitative PCR, Log IU/mL	6.5 log IU/mL

HDV by Quantitative PCR, Interp

Detected * (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: Hepatitis D by Quantitative PCR

The quantitative range of this assay is 2.1-6.8 log IU/mL (120 - 5,800,000 IU/mL).

A negative result (less than 2.1 log IU/mL or less than 120 IU/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HDV concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-160-401055
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 1/7/2021 2:34:46 PM
4848

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HDV by Quantitative PCR, Source	20-160-401055	6/8/2020 9:10:00 AM	6/9/2020 5:03:47 AM	6/14/2020 4:05:00 PM
HDV by Quantitative PCR, IU/mL	20-160-401055	6/8/2020 9:10:00 AM	6/9/2020 5:03:47 AM	6/14/2020 4:05:00 PM
HDV by Quantitative PCR, Log IU/mL	20-160-401055	6/8/2020 9:10:00 AM	6/9/2020 5:03:47 AM	6/14/2020 4:05:00 PM
HDV by Quantitative PCR, Interp	20-160-401055	6/8/2020 9:10:00 AM	6/9/2020 5:03:47 AM	6/14/2020 4:05:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-160-401055
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/7/2021 2:34:46 PM
4848