

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 10/2/1968

Gender: Male

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Hepatitis Delta Virus by Quantitative PCR

ARUP test code 2013881

HDV by Quantitative PCR, Source

Serum

HDV by Quantitative PCR, IU/mL

4,040,000 IU/mL

HDV by Quantitative PCR, Log IU/mL

6.6 log IU/mL

HDV by Quantitative PCR, Interp

Detected * (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: Hepatitis D by Quantitative PCR

The quantitative range of this assay is 2.1-6.8 log IU/mL (120 - 5,800,000 IU/mL).

A negative result (less than 2.1 log IU/mL or less than 120 IU/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HDV concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
HDV by Quantitative PCR, Source	22-140-400644	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, IU/mL	22-140-400644	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, Log IU/mL	22-140-400644	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, Interp	22-140-400644	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Patient: Patient, Example
ARUP Accession: 22-140-400644
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 7/1/2022 1:11:05 PM

4848