

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 9/17/1964  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Toxoplasma gondii Antibody, IgA by ELISA, Serum**

ARUP test code 2013890

Toxoplasma gondii Ab, IgA, ELISA, Serum

See Note

Specimen Type Serum  
Specimen Condition Icteric

Test	Result	Interpretation
Toxoplasma IgA ELISA	6.6	Positive*

Results of this test are of limited value unless evaluated in the context of results obtained in other tests in the Toxoplasma Serologic Panel. Without results of the other panel tests, interpretation of the significance of this result is unclear.

(\* )Denotes result outside of reference range.

Reference Ranges and Comments

If you have questions regarding these results, please contact the laboratory.

IgA-ELISA: (adults) negative 0.0-1.4, equivocal 1.5-2.0, positive  $\geq 2.1$ ; (infants <6 months) negative 0.0-0.9, positive  $\geq 1.0$ . The IgA-ELISA appears to be a more sensitive test for detection of infection in the fetus and newborn than IgM. Both tests should be performed. If the IgA result on serum obtained within the first days of life is positive, the test should be repeated on serum collected ten days after birth to exclude the possibility that the positive result is due to contamination with maternal antibody. IgA antibodies in adults may persist for months or years following acute infection.

IgM-ELISA, IgM-ISAGA, IgA-ELISA, IgE, PCR: These tests were developed and their performance characteristics determined by the Dr. Jack S. Remington Laboratory, Palo Alto Medical Foundation. They have not been cleared or approved by the US Food and Drug Administration (FDA). However, approval by the FDA is not required for use of these tests by our reference laboratory.

Performed By: PAMF Toxoplasma Serology Lab  
795 El Camino Real  
Palo Alto, CA 94301

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Toxoplasma gondii Ab, IgA, ELISA, Serum	22-256-108917	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**