

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/1/2002
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

CV2.1 Antibody, IgG by CBA-IFA with Reflex to Titer, Serum

ARUP test code 2013956

CV2.1 Ab IgG CBA-IFA Screen, Serum

Detected * (Ref Interval: <1:10)

CV2.1 Antibody, IgG is detected. Titer results to follow. Additional charges apply.

INTERPRETIVE INFORMATION: CV2.1 Ab IgG CBA-IFA Screen, Serum

CV2.1 antibodies aid in discriminating between chronic paraneoplastic neurological disorder (PND) and other inflammatory disorders of the nervous system. Anti-CV2.1 is associated with small-cell lung cancer and thymoma. A negative test result does not rule out a diagnosis of autoimmune neurologic disease. Results should be interpreted in correlation with the patient's clinical history and other laboratory findings.

This indirect fluorescent antibody assay utilizes CV2.1 transfected cell lines for the detection and semiquantification of the CV2.1 IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

CV2.1 Antibody Titer, IgG by CBA-IFA, Serum (Reflex for 2013956 CV2.1SCRN Not orderable by clients)

ARUP test code 2013957

CV2.1 Ab IgG CBA-IFA Titer, Serum

1:20 * (Ref Interval: <1:10)

INTERPRETIVE INFORMATION: CV2.1 Ab IgG CBA-IFA Titer, Serum

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
CV2.1 Ab IgG CBA-IFA Screen, Serum	23-241-110673	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
CV2.1 Ab IgG CBA-IFA Titer, Serum	23-241-110673	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-241-110673
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 9/13/2023 12:48:59 PM
4848