

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/15/1992
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

HLA-DP Genotyping

ARUP test code 2014073

HLA Class II, Locus DPA1*, Allele 1 01:03 EAVMN
Performed By: UUH Histocompatibility and Immunogenetic
417 wakara Way
Suite 3220
Salt Lake City, UT 84108

HLA Class II, Locus DPA1*, Allele 2 02:01 AJTRF
Performed By: UUH Histocompatibility and Immunogenetic
417 wakara Way
Suite 3220
Salt Lake City, UT 84108

HLA Class II, Locus DPB1*, Allele 1 01:01 EBDBD
Performed By: UUH Histocompatibility and Immunogenetic
417 wakara Way
Suite 3220
Salt Lake City, UT 84108

HLA Class II, Locus DPB1*, Allele 2 04:01 EBFCB
Performed By: UUH Histocompatibility and Immunogenetic
417 wakara Way
Suite 3220
Salt Lake City, UT 84108

HLA-DP Genotyping Interpretation See Note
Performed By: UUH Histocompatibility and Immunogenetic
417 wakara Way
Suite 3220
Salt Lake City, UT 84108

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

BACKGROUND INFORMATION: HLA-DP Genotyping

PURPOSE: For immunization/vaccination trials or to aid the clinical diagnosis of diseases strongly associated with the HLA-DP locus.

METHODOLOGY: PCR followed by Sequence Specific oligonucleotide Probe Hybridization of HLA-DP locus.

ANALYTICAL SENSITIVITY & SPECIFICITY: Medium to high resolution of HLA-DP locus.

LIMITATIONS: The presence of a disease-associated HLA combination does not establish a diagnosis. If fewer than 2 alleles are reported for a locus, the patient is likely homozygous. Rare diagnostic errors can occur due to primer or probe site mutations. This test is not sufficient for comprehensive HLA evaluation for clinical hematopoietic stem cell transplantation; for pre-transplant allele matching, consider HLA Class I and II Panel (HLA A, HLA B, HLA C, DRB1, DQA1, DQB1, DPB1) by Next Generation Sequencing (ARUP test code 3002061) or HLA Class I and II Panel (HLA A, HLA B, HLA C, DRB1, DRB345, DQA1, DQB1, DPA1, DPB1) by Next Generation Sequencing (ARUP test code 3002062).

Occasionally the specific allele cannot be determined; in this case, the most likely allele assignment is made followed by a sequence of letters indicating other possible allele assignments. Interpretation of allele codes can be found at <https://bioinformatics.bethematchclinical.org/hla/alpha.v3.html>.

Test systems were developed and their performance characteristics determined by the H&I laboratory at the University of Utah Health, under the accreditation guidelines from the American Society for Histocompatibility and Immunogenetics (ASHI).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HLA Class II, Locus DPA1*, Allele 1	22-320-118827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HLA Class II, Locus DPA1*, Allele 2	22-320-118827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HLA Class II, Locus DPB1*, Allele 1	22-320-118827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HLA Class II, Locus DPB1*, Allele 2	22-320-118827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HLA-DP Genotyping Interpretation	22-320-118827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: