

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/4/1982
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis B Virus (HBV) Perinatal Exposure Follow-up by CIA, Panel

ARUP test code 2014285

Hepatitis B Surface Antigen

Negative (Ref Interval: Negative)
Based on the non-reactive HBsAg screen, the HBsAg Confirmation test is not indicated and therefore not performed.

INTERPRETIVE INFORMATION: Hepatitis B Surface Ag

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Surface Antibody

3.20 IU/L

The anti-HBs is less than 10 IU/L and is therefore negative. There is no evidence of recovery from hepatitis B infection or evidence of antibody response to HBV vaccination.

An anti-HBs result greater than or equal to 10 IU/L indicates immunity.

Reference Interval: anti-HBs
9.99 IU/L or less Negative
10.00 IU/L or greater ... Positive
Results greater than 1,000.00 IU/L are reported as greater than 1,000.00 IU/L.

Hepatitis B Panel Interp

See Note

The result pattern of the HBsAg and anti-HBs indicates no serological evidence of HBV infection. In addition, there is no evidence this patient has developed immunity following HBV vaccination.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Antigen	23-090-103186	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antibody	23-090-103186	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Panel Interp	23-090-103186	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-090-103186
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 3/31/2023 12:11:52 PM
4848