

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/16/2000  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Rabies Antibody Screen (RFFIT)**

ARUP test code 2014351

Rabies Antibody Screen

See Note

TEST	RESULTS	UNITS	EXPECTED RANGE
------	---------	-------	----------------

Rabies Titer-Response      LESS THAN 0.1      IU/mL

LESS THAN 0.1 IU/mL: Below detection limit  
>/= 0.1 IU/mL: Above detection limit but below 0.5 IU/mL  
>/= 0.5 IU/mL: Equal to or above 0.5 IU/mL

RABIES NEUTRALIZING ANTIBODY TITRATION  
(RFFIT) RESULT VERIFIED BY:

Susan M. Moore, Director  
Rabies Lab KSVDL

In humans, a result of 0.5 IU/mL or higher is considered an acceptable response to rabies vaccination according to the world Health Organization (WHO) guidelines; see WHO and Advisory Committee on Immunization Practices documents for additional guidance. Also, there is more information at [www.vet.ksu.edu/rabies](http://www.vet.ksu.edu/rabies). (Note: the symbol ">" means "greater than" and ">=" means "greater than or equal to").  
Performed By: Kansas State Rabies Laboratory  
2005 Research Park Circle  
Manhattan, KS 66502

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Rabies Antibody Screen	20-202-143248	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-202-143248  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 2/23/2021 2:04:15 PM  
4848