

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/13/1997
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Rabies Antibody Screen by RFFIT, Serum

ARUP test code 2014351

Rabies Antibody Screen

See Note

TEST	RESULTS	UNITS	EXPECTED RANGE
Rabies Titer-Response	>/=0.1	IU/mL	
LESS THAN 0.1 IU/mL: Below detection limit >/= 0.1 IU/mL: Above detection limit but below 0.5 IU/mL >/= 0.5 IU/mL: Equal to or above 0.5 IU/mL			

RABIES NEUTRALIZING ANTIBODY TITRATION (RFFIT) RESULT VERIFIED BY:

Brett Sramek, DO

In humans, a result of 0.5 IU/mL or higher is considered an acceptable response to rabies vaccination according to the World Health Organization (WHO) guidelines; see WHO and Advisory Committee on Immunization Practices documents for additional guidance. Also, there is more information at www.vet.ksu.edu/rabies. (Note: the symbol ">" means "greater than" and ">/=" means "greater than or equal to").
Performed By: Kansas State Rabies Laboratory
2005 Research Park Circle
Manhattan, KS 66502

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Rabies Antibody Screen	21-257-118886	9/14/2021 1:10:00 PM	9/15/2021 5:38:34 PM	10/12/2021 3:36:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-257-118886
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/19/2022 7:38:31 AM