

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/22/1987
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Relapsing Fever Borrelia Species by PCR

ARUP test code 3000010

Relapsing Fever Borrelia Source whole blood

Relapsing Fever Borrelia by PCR

Not Detected

NOT DETECTED - A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.

INTERPRETIVE INFORMATION: Relapsing Fever Borrelia Species by PCR

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Relapsing Fever Borrelia Source	21-246-400981	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Relapsing Fever Borrelia by PCR	21-246-400981	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: