

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/24/1985
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

ADAMTS13 Antibody

ARUP test code 3000182

ADAMTS13 Antibody

17 U/mL H (Ref Interval: <=11)

The ADAMTS13 antibody test is less specific than the ADAMTS13 inhibitor test. Positive results are rarely seen in healthy subjects or in patients with other types of autoantibodies. Interpretation should include the patient's clinical presentation in correlation with the results from ADAMTS13 activity and other laboratory testing.

INTERPRETIVE INFORMATION: ADAMTS13 Antibody

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
ADAMTS13 Antibody	20-156-139756	6/4/2020 8:42:00 PM	6/6/2020 9:42:55 PM	6/10/2020 4:51:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-156-139756
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/21/2022 11:10:11 AM