

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/11/1989
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

5-Hydroxyindoleacetic acid (5-HIAA), Plasma

ARUP test code 3000202

5-Hydroxyindoleacetic acid (5-HIAA) See Note

Test	Result	Adult Reference Range(s)
5-HIAA (Plasma)	223 ng/ml	Up to 22 ng/ml

This test was developed and its performance characteristics determined by Inter Science Institute. It has not been cleared or approved by the US Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. Performed at: Inter Science Institute, 944 West Hyde Park Blvd., Inglewood, CA 90302

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
5-Hydroxyindoleacetic acid (5-HIAA)	18-004-106456	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical