

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/29/1982
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

ADAMTS13 Inhibitor

ARUP test code 3000228

ADAMTS13 Inhibitor

0.6 BU H (Ref Interval: <=0.4)

INTERPRETIVE INFORMATION: ADAMTS13 Inhibitor

The majority of cases of idiopathic thrombotic thrombocytopenic purpura (TTP) are caused by ADAMTS13 autoantibodies. Autoantibodies that neutralize ADAMTS13 function are found in approximately two-thirds of idiopathic cases and can be identified and titered by the ADAMTS13 inhibitor test. Non-neutralizing autoantibodies that result in increased ADAMTS13 clearance, but do not inhibit function, are found in approximately one-third of idiopathic TTP cases. Non-neutralizing antibodies are not detected in the inhibitor test but can be detected by ELISA (ADAMTS13 antibody test). ADAMTS13 autoantibodies are not present in congenital TTP (Upshaw-Schulman syndrome). Correlation with clinical information, ADAMTS13 activity, and other relevant laboratory testing is suggested.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
ADAMTS13 Inhibitor	20-162-105895	6/10/2020 9:00:00 AM	6/12/2020 5:48:25 AM	6/13/2020 12:14:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-162-105895
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/21/2022 11:11:23 AM