

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/27/1975
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

ADAMTS13 Reflex Panel

ARUP test code 3000239

ADAMTS13 Activity	71 %	(Ref Interval: >=61)
<p>The ADAMTS13 panel result demonstrates ADAMTS13 activity is greater than 30%. Because thrombotic thrombocytopenic purpura (TTP) is typically associated with severe ADAMTS13 deficiency (activity of less than 10%), testing for ADAMTS13 antibodies/inhibitor was not performed in the reflexive panel. Close clinical correlation is recommended for proper interpretation.</p> <p>INTERPRETIVE INFORMATION: ADAMTS13 Activity</p> <p>ADAMTS13 levels of less than 10 percent may be associated with either inherited (Upshaw-Schulman Syndrome) or acquired thrombotic thrombocytopenic purpura (TTP).</p> <p>A variety of medical conditions may result in a mild to moderate deficiency of ADAMTS13 activity. Recent plasma exchange therapy may raise the observed ADAMTS13 activity.</p> <p>Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS</p>		

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
ADAMTS13 Activity	20-164-104344	6/12/2020 10:06:00 AM	6/13/2020 4:54:42 PM	6/14/2020 5:32:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-164-104344
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/21/2022 11:12:38 AM