

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/25/1954
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Aspergillus Species by PCR

ARUP test code 3000265

Aspergillus Source BAL

Aspergillus species by PCR **Detected ***

The pan-Aspergillus primers and probes are known to cross-react with *Penicillium* species and *Paecilomyces* species.

Aspergillus fumigatus by PCR **Detected ***

DETECTED - Species-specific nucleic acids from *A. fumigatus* were detected.

INTERPRETIVE INFORMATION: Aspergillus Species by PCR

This test uses two probes to detect the most-common *Aspergillus* spp. and to differentiate *A. fumigatus*.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Aspergillus Source	23-349-402597	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Aspergillus species by PCR	23-349-402597	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Aspergillus fumigatus by PCR	23-349-402597	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-349-402597
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/25/2024 9:58:10 AM
4848