

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/9/1957
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis C Virus (HCV) by Quantitative NAAT

ARUP test code 3000572

HCV Qnt by NAAT (IU/mL) Not Detected

HCV Qnt by NAAT (log IU/mL) Not Detected

HCV Qnt by NAAT Interp Not Detected (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HCV by Quantitative NAAT

The quantitative range of this test is 15-100,000,000 IU/mL (1.18-8.0 log IU/mL).

A result of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This test is intended for use as an aid in the diagnosis of HCV infection in the following populations: individuals with antibody evidence of HCV with evidence of liver disease, individuals suspected to be actively infected with HCV antibody evidence, and individuals at risk for HCV infection with antibodies to HCV. Detection of HCV RNA indicates that the virus is replicating and therefore is evidence of active infection.

This test is also intended for use as an aid in the management of patients with an HCV infection undergoing antiviral therapy. The assay can be used to measure HCV RNA levels at baseline, during treatment, at the end of treatment, and at the end of follow-up of treatment to determine sustained or nonsustained viral response. The results must be interpreted within the context of all relevant clinical and laboratory findings.

This test should not be used for blood donor screening, associated reentry protocols, or for screening human cells, tissues, and cellular tissue-based products (HCT/P).

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HCV Qnt by NAAT (IU/mL)	24-234-117661	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (log IU/mL)	24-234-117661	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT Interp	24-234-117661	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 24-234-117661
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 8/23/2024 8:30:51 AM
4848