

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/28/1995
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hepatitis C Virus (HCV) by Quantitative NAAT

ARUP test code 3000572

HCV Qnt by NAAT (IU/mL) 3,455 IU/mL

HCV Qnt by NAAT (log IU/mL) 3.54 log IU/mL

HCV Qnt by NAAT Interp

Detected * (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HCV by Quantitative NAAT

Normal range for this assay is "Not Detected".
The quantitative range of this assay is 10 - 100,000,000 IU/mL (1.0 - 8.0 log IU/mL).

Lower limit of quantitation (LLOQ):
10 IU/mL (1.0 log IU/mL)

LLOQ values do not apply to diluted specimens.
A result of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This test should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HCV Qnt by NAAT (IU/mL)	22-124-103472	5/4/2022 8:59:00 AM	5/4/2022 3:35:44 PM	5/5/2022 3:02:00 AM
HCV Qnt by NAAT (log IU/mL)	22-124-103472	5/4/2022 8:59:00 AM	5/4/2022 3:35:44 PM	5/5/2022 3:02:00 AM
HCV Qnt by NAAT Interp	22-124-103472	5/4/2022 8:59:00 AM	5/4/2022 3:35:44 PM	5/5/2022 3:02:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-124-103472
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/19/2022 6:48:48 AM