

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/14/1976  
**Gender:** Unknown  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Hepatitis C Virus (HCV) by Quantitative NAAT with Reflex to HCV Genotype by Sequencing**

ARUP test code 3000576

HCV Qnt by NAAT (IU/mL) Not Detected IU/mL

HCV Qnt by NAAT (log IU/mL) Not Detected log IU/mL

Hepatitis C virus (HCV) by Quantitative TMA result was less than 4,000 IU/mL (3.6 log IU/mL); therefore no further testing added.

INTERPRETIVE INFORMATION: HCV by Quantitative NAAT

Normal range for this assay is "Not Detected".  
The quantitative range of this assay is 10 - 100,000,000 IU/mL (1.0 - 8.0 log IU/mL).

Lower limit of quantitation (LLOQ):

10 IU/mL (1.0 log IU/mL)  
LLOQ values do not apply to diluted specimens.  
A result of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This test should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

H=High, L=Low, \*=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HCV Qnt by NAAT (IU/mL)	18-229-102886	8/17/2018 9:10:00 AM	8/17/2018 9:18:24 AM	8/22/2018 10:19:00 AM
HCV Qnt by NAAT (log IU/mL)	18-229-102886	8/17/2018 9:10:00 AM	8/17/2018 9:18:24 AM	8/22/2018 10:19:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical