

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 3/22/1968  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Hepatitis B Virus (HBV) by Quantitative NAAT**

ARUP test code 3000863

HBV Qnt by NAAT (IU/mL) Not Detected IU/mL

HBV Qnt by NAAT (log IU/mL) Not Detected log IU/mL

HBV Qnt by NAAT Interp Not Detected (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HBV by Quantitative NAAT

Normal range for this assay is "Not Detected".  
The quantitative range of this assay is 1.00-9.00 log IU/mL  
(10-1,000,000,000 IU/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or HBV DNA concentration below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
HBV Qnt by NAAT (IU/mL)	20-268-403470	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HBV Qnt by NAAT (log IU/mL)	20-268-403470	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HBV Qnt by NAAT Interp	20-268-403470	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-268-403470  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 10/15/2020 10:32:19 AM  
4848