

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/19/1951
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis B Virus (HBV) by Quantitative NAAT

ARUP test code 3000863

HBV Qnt by NAAT (IU/mL) 483 IU/mL

HBV Qnt by NAAT (log IU/mL) 2.68 log IU/mL

HBV Qnt by NAAT Interp

Detected * (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HBV by Quantitative NAAT

Normal range for this assay is "Not Detected".
The quantitative range of this assay is 1.00-9.00 log IU/mL
(10-1,000,000,000 IU/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or HBV DNA concentration below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HBV Qnt by NAAT (IU/mL)	22-249-104945	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HBV Qnt by NAAT (log IU/mL)	22-249-104945	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HBV Qnt by NAAT Interp	22-249-104945	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-249-104945
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 9/13/2022 2:38:44 PM
4848