

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/10/1964
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Human Immunodeficiency Virus 1 (HIV-1) by Quantitative NAAT, CSF

ARUP test code 3000872

HIV-1 Qnt by NAAT, CSF (copies/mL) Not Detected cpy/mL

HIV-1 Qnt by NAAT, CSF (log copies/mL) Not Detected log cpy/mL

HIV-1 Qnt by NAAT Interp, CSF Not Detected (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HIV-1 by Quantitative NAAT, CSF

Normal range for this assay is "Not Detected".
The quantitative range of this assay is 1.47-7.00 log copies/mL (30-10,000,000 copies/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors or HIV-1 RNA concentration below the level of detection of the assay. Care should be taken in the interpretation of any single viral load determination. The clinical significance of changes in HIV-1 RNA concentration has not been fully established; however, a change of 0.5 log copies/mL may be significant.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
HIV-1 Qnt by NAAT, CSF (copies/mL)	21-090-400069	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HIV-1 Qnt by NAAT, CSF (log copies/mL)	21-090-400069	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HIV-1 Qnt by NAAT Interp, CSF	21-090-400069	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-090-400069
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 4/8/2021 3:35:23 PM
4848